



কংক্রিট কভার ব্লক হল এক ধরনের প্রিকাস্ট কংক্রিটের ব্লক যা কংক্রিটের কাঠামোর মধ্যে রিইনফোর্সমেন্ট স্টিল বা রডগুলির চারপাশে সঠিক কংক্রিট কভার নিশ্চিত করতে ব্যবহৃত হয়। এই কভার ব্লকগুলি রডগুলি এবং কংক্রিটের বাইরের পৃষ্ঠের মধ্যে একটি নির্দিষ্ট দূরত্ব বজায় রাখা হয়, যা রডগুলিকে মরিচা এবং ক্ষয় থেকে রক্ষা করে এবং কাঠামোর স্থায়িত্ব নিশ্চিত করে। এই ব্লকগুলি বিভিন্ন আকারে এবং কংক্রিট কভার ব্যবহারের প্রয়োজনীয়তা অনুযায়ী নির্দিষ্ট পুরুত্বে তৈরি করা হয়।

STOCK SIZES

Product Code	Clear Cover (mm)	Quantity in pack
L20	20mm	500 Pcs
L20-25	20, 25 mm	500 Pcs
L20-38	20, 25,38 mm	250 Pcs
L30-40	30,38,40 mm	250 Pcs
L35-50	30,35,40,50 mm	250Pcs
L40-50	40 & 50 mm	200 Pcs
L75	75mm	100 Pcs
L60-80	60,65,70,80 mm	100 Pcs
L80	80 mm	100 Pcs
L90	90mm	100 Pcs
L100	100 mm	50 Pcs
L110	110mm	50 Pcs
Pile Block	2.5", 3", 4" Inch	Circular Shape

www.facebook.com/liviza3010

01751-924362

SPLICING OF REINFORCEMENT BARS






Mechanical couplers provide a reliable, efficient, and cost-effective way to connect rebar's together, without the need for over lapping or welding. Size Available: # 16 to # 40

REBAR U-BOLT JOINT

U Bolt method is particularly useful in ensuring that the rebar stays in the correct position during the pouring and setting of concrete, contributing to the overall stability and strength of the structure.

REBAR BUTT JOINT



Butt Joint technology is a superior alternative to overlapping reinforcement bars in the construction industry.



G.I BINDING WIRE



Gauge Available: #16 - #18 PVC Coated Tie Wire Galvanized Tving Wire

www.facebook.com/liviza3010

01751-924362

CONSTRUCTION TECHNOLOGY







Steel Water Stopper







Anchor Bolt







LIVIZA PRE-CAST CONCRET





 Corporate Office: Liviza House, Holding # 60, Road # 6, Block # 8, Green Model Town, Mugdha, Dhaka-1214

















